

[Send feedback for this document.](#)

**Both 2003 and 2004 versions of Digivote contain major errors that compromise the anonymity of the voting procedure.**

- [Document History](#)
- [Conclusions](#)
- [Introduction](#)
- [Overview software](#)
- [Anonymity compromised](#)
- [Expert denial](#)
- [Appendix 1: Changes to the 2004 version](#)
- [Appendix 2: Overview of selected MAV routines](#)
- [Appendix 3: Layout of the data on the magnetic card](#)
- [Appendix 4: Partial reconstruction of the backend database scheme](#)
- [Appendix 5: Syntax of the B019 file](#)
- [Appendix 6: Syntax of the B020 file](#)
- [Appendix 7: Syntax of the B021 file](#)
- [Appendix 8: Syntax of the B001 file](#)
- [Appendix 9: Syntax of the B011 file](#)

## **Document History**

May 26, 2003 Paul - first version

Jun 02, 2003 Paul - added randomize paragraph, routine table

Jun 06, 2003 Paul - added comment, added to randomize paragraph, added yet another bug

Jun 07, 2003 Paul - added conclusion

Jun 12, 2003 Paul - added TOC, Jites paragraph

Apr 10, 2004 Paul - downgraded non-ANSI, added sessionkey/timestamp problems

May 18, 2004 Paul - fixed typo

Jun 27, 2004 Paul - major rewrite for 2004 version

Jul 01, 2004 Paul - rebuttal

Jul 03, 2004 Paul - added software overview paragraph

Jul 05, 2004 Paul - added database schema and syntax for several B0XX files

Jul 06, 2004 Paul - updated for cleaning up voting-related globals

Jul 08, 2004 Paul - updated with B019 and B020 syntax

## **Conclusions:**

Casual inspection of the Digivote sourcecode reveals obvious errors from which we deduce scant peer review of the code, if any, has taken place. Keeping the voting anonymous isn't high on the priorities list: stack variables are not zeroed after their useful lifetime has expired, the randomize function is misused thus that the data on the magnetic cards contain a timestamp, and the order of votes can in almost all cases be deduced from the contents of the B003 and B013 files.

## **0) Introduction.**

If you vote electronically, you will get a magnetic card you can insert into a computer in a voting booth (running the MAV program). With an optical pen you select the party and or candidates you want to vote for and this data will be written to the card. The card is then ejected and you take it with you out of the voting booth and deposit it in another machine (running the URN program). Upon depositing, the vote is read and written to disk in encrypted form. At the end of the election, the votes are decrypted again and counted.

We will take a look at the Digivote applications. The sourcecode for both the 2003 and 2004 versions can, at the moment of writing, be downloaded from [elections.fgov.be](http://elections.fgov.be). If that fails, you can [download our copy \(2003\) \(2004\)](#). The 2003 archive is called digivote.exe, but on \*NIX, just do an "unzip digivote.exe".

Design documents for Digivote are not available. We could only find the publicly available instruction manuals for election officials (available at [elections.fgov.be](http://elections.fgov.be)), and two leaked evaluation documents: [http://www.poueva.be/article.php3?id\\_article=32](http://www.poueva.be/article.php3?id_article=32) and <http://www.poueva.be/IMG/pdf/19990701-2.pdf>.

## **1) Overview of the software.**

The Digivote sourcecode is divided in two parts: the PRG directory contains the sourcecode for the MAV and URN applications used in the voting stations, while the VOTE directory contains the sourcecode for both the preparation (logistics) and totalization (counting).




figure 1:

Layout of a typical voting station: each voting booth contains a machine running the MAV program. A single machine running the URN program is used to issue and collect magnetic cards.

All machines in the voting station are booted from the same floppy disk. Depending on the hardware attached, either the URN or MAV program will be started. Both programs require a 16-character password to run. In the case of the MAV machines, in the absence of a keyboard a magnetic card is used to transfer the password.

The sourcecode for the MAV and URN applications is nominally in C++, though the bulk of the code is plain C. The code is of decent quality and fairly legible.

The software for the preparation and totalization is written in Progress. As far as we could determine, the sourcecode does not include the backend database or the database schemes, so the types of field names have to be inferred from the context.

directory	contents	total lines
PRG	C sourcecode	
AES	crypto routines	2064
ARC	dos compression routines	1524
DIAGNOST	diagnostic tools	4336
DIVERS	other tools	5361
GEN	code common to MAV and URN programs	9077
MAV	MAV specific code	12163
TOOLS	debug routines	85

URN	URN specific code	3676
VOTE	Progress sourcecode	
GEN	subroutines	3950
HLC	C support code	5148
INCL	include files	700
PRP	preparation and logistics programs	11923
TOOLS	other tools	4167
TOT	totalization programs	3395

table 1:  
Digivote sourcetree overview.

## 2) Anonymity compromised.

In both 2003 and 2004 versions, there are two major errors that compromise the anonymity of the voting procedure. Both are caused by the same mistake: an assumption that the "random" function returns a truly random number. In reality, the "random" function will return a value that is a deterministic function of the "seed" value used to seed the Pseudo Random Number Generator (PRNG). For the Borland library used in the Digivote applications, this function can be written as:

```
#define MULTIPLIER    0x015a4e35L    /* 22,695,477 */
#define INCREMENT     1
static long    Seed = 1;

void srand(unsigned seed) {
    Seed = seed;
}

int rand(void) {
    Seed = MULTIPLIER * Seed + INCREMENT;
    return((int)(Seed >> 16) & 0x7fff);
}

#define RAND_MAX 0x7FFFU
#define randomize() srand((unsigned)time(NULL))
#define random(num)(int)(((long)rand()*(num))/(RAND_MAX+1))
```

If the PRNG is seeded with the time, a call to "random" will get you a number that is for all practical

purposes a timestamp.

The MAV program uses the "random" function to create a sessionkey, used to add variance to the voting data written to the magnetic card, before a digital signature is added. The digital signature allows the URN machine to have a high degree of certainty that the vote on the magnetic card was written by one of its own MAV machines. It also prevents against subverted magnetic card readers modifying data, either on the MAV or URN machines.

The need for an extra sessionkey is not immediately clear. The only thing we could come up with was to detect "cloned" votes, i.e. cards that are bit for bit copies of a card with a valid signature, and hence have the same sessionkey. However, the URN machine does not actively scan for collision of sessionkeys.

Since the URN machine needs the sessionkey to verify the digital signature, the sessionkey is written on the magnetic card. And since the PRNG is seeded with the time for each vote, this sessionkey is for all practical purposes a timestamp.

This code will create a lookup table of sessionkeys (using random and srand as defined above):

```
int sessionkey(unsigned s)
{
    int i;
    int key = 0;
    srand(s);

    for(i=0; i < 8; i++)
        key = 10*key+random( 10);

    return key;
}

int main(int argc, const char *argv[]) {
    unsigned i;

    long elections = 0x40CBDF50; /* june 13 2004 0600 UTC */
    int duration = 12*3600;

    for(i=0;i<duration;i++) {
        int key = sessionkey(elections+i);

        int hrs = i /3600;
        int min = (i -(hrs*3600))/60;
        int sec = (i -(hrs*3600)-(min*60));

        printf("%08i %02i:%02i:%02i\n",key,hrs+6,min,sec);

    }
}
```

On the URN side, the votes are read, encrypted and written to disk. Again, the "random" function is used to write each vote to a supposedly arbitrary position in the B003 and B013 files. However, as here the PRNG is

seeded only once, the order of the votes can easily be reconstructed in almost all cases.

Modifications made to the 2004 version include the zeroing of sensitive globals before ejecting the magnetic card from the MAV machine, but those modifications do not include routines copying this information to local variables cleaning up after themselves. As it would take some effort to find out if the stackspace used by, e.g. the routine Build\_Card\_Buffer for a buffer will be overwritten by stackspace used by other routines by the time the voter leaves the voting booth, we are for the moment not certain whether all sensitive data is zeroed by the time the magnetic card is ejected and the voter leaves the voting booth.

### 3) Expert denial.

In a draft report, the committee of experts denies the possibility that the order of votes can be deduced from the contents of the B003 or B013 file:

*- Les remarques concernant l'ordre aléatoire d'encodage des votes dans l'urne sont non pertinentes dans la mesure où la séquence aléatoire n'est reproductible que si on connaît avec certitude la seconde à laquelle l'urne-PC a démarré le programme principal, ce qui est impossible.*

*- De opmerkingen betreffende de willekeurige volgorde van de opslag van de stemmen in de urne zijn niet terecht in de zin dat de willekeurige volgorde slechts herhaald kan worden indien men met zekerheid de seconde kent waarop de urne-PC het hoofdprogramma heeft opgestart, hetgeen onmogelijk is.*

This is incorrect, because in most cases (i.e. when less than 1995 of the maximum 2000 possible votes are cast), the actual seed of the PRNG and the second of initialisation can be deduced from the pattern of "holes" left in the list of votes.

Because it is impossible to know how many voters will turn up, all votes are pseudorandomly distributed over 2000 positions (an upper bound for the number of voters in a single voting station). When all votes are cast, the positions that do not contain a vote allow us to determine the seed for the PRNG.

What we do is we assume a range of possible values for the moment the machine was booted, and hence the number the PRNG was seeded with. Assuming the URN machine must have been booted up to a few hours prior to the opening of the voting station, we only have to try on the order of  $10^4$  ( $2^{13}$ ) possibilities. For a reasonable number of votes (i.e. not too close to 0 or 2000) each of these possibilities will have a unique set of "holes", and only one of these will correspond to actual distribution of votes in the B003 and B013 files.

Once the correct seed is known, the order of the votes can be computed.




figure 2:

top half: different pseudo-random distributions of n elements over n positions offer no information to the distribution used.

bottom half: different pseudo-random distributions of less than n elements over n positions create different patterns, that can be used to determine which distribution was used.

references:

McGraw, Viega: [Make your software behave: Playing the numbers](http://www-106.ibm.com/developerworks/library/s-playing)  
[www-106.ibm.com/developerworks/library/s-playing](http://www-106.ibm.com/developerworks/library/s-playing)

### Appendix 1: Changes to the 2004 version.

Comparison of the 2003 with the 2004 versions has been complicated by the removal of comments from most of the sourcefiles. Non-trivial changes include:

- Major changes to the lightpen driver.
- Support for higher resolution graphics driver.
- Support for compression and authentication of data files.
- A more complex counting procedure that would allow the detection of some RAM soft-errors.
- Interface changes including screen layout and voting procedure.
- Better error messages in some programs.
- MAV Globals containing sensitive data are now zeroed before ejecting the magnetic card.
- A bug in the 2003 version first identified by us was fixed in the 2004 without attribution:

In the Verify\_Password routine in gencryp.cpp :

```
memcpy( sKey.data, &record[MAX_IV_SIZE], MAX_IV_SIZE);
```

was changed to

```
memcpy( sKey.data, &record[MAX_IV_SIZE], AESKEYLEN);
```

## Appendix 2: Overview of selected MAV routines.

routine name	functionality	remarks
for(;;)	main loop	
Format_Blanco_Card		
Election_Loop		
Init_Card_Buffer		
Process_Election*		
Process_College*		
Process_Party*		
Init_Candidates		
Display_Candidates		
Input_Candidates		
Is_Head_Vote_Selected*		
Are_Candidates_Selected*		
Buffer_Vote	convert to proto card format	
Init_Vote_		
Format_Vote_		



Append_To_Card		
initCard		
Generate_Mav_Session	create session key "mavSessionKey"	keyspace=10^8
randomize		
Build_Card_Buffer	serialize for magnetic card format	
Convert_Vote_Buffer_To_Card_Buffer		
MAC	calculate hash	
Calculate_Internal_MAVVOT		
computeMac		
Write_Votes		
Reader_Write_Card		
printTicket		
Reader_Eject_Card		
Reader_Wait_Card_Removed		

table 2:

Call tree of selected MAV routines.

### Appendix 3: Layout of the data on the magnetic card.

Layout of the magnetic card data used for the Digivote automatic voting system used for the 2003 elections.

The magnetic card used for the Digivote automatic voting system is listed as ISO 7810/7811-2 compliant. [1]

From the definition of the constant MAX\_CARD\_BUF as 104 [2], we can reasonable infer track 3 (ISO 4909) is used, allowing up to 104 5-bit characters.

The actual layout is as follows [3],[4]:

- 8 chars session key.

This sessionkey seriously compromises the anonymity of the voting process, as the PRNG is seeded with the time for each sessionkey generated.

- 1 char vote flag.

0 = initial, 1 = voted, 2-9 = canceled.

- A series of voting data for each election. These are either 8 or 34 characters each, depending on the type of elections. The total size can be up to 80 characters.

The first four characters are the same for each type of elections:

- 1 char election id
- 2 chars party id (0 for blank)
- 1 char vote type (0 party vote, 1 effective only, 2 replacement only, 3 effective+replacement)

the remainder, for type 0 elections:

- 2 char effective
- 2 char replacement

for type 1 elections:

- 30 chars for up to 90 bits, one for each candidate.

- 1 char voter type

0 = Belgian, 1 = EU.

- 0 to 7 bytes padding with zeroes to the next multiple of 8

- 8 chars signature / MAC

the remainder of the data is padded with zeroes.

[1] College van deskundigen belast met de controle van de geautomatiseerde stemmingen en stemopneming - verslag betreffende de verkiezingen van 13 juni 1999.

[2] Digivote sourcecode gen/gencard.h, line 25.

[3] Digivote sourcecode rev 9.12 gen/gentype.h, lines 207-267.

[4] Digivote sourcecode rev 9.13 gen/gendata.cpp, lines 907-948.

#### **Appendix 4: Partial reconstruction of the backend database scheme.**

election

```

s-id          Date
coll-id
coll-name
colls
e-type        Int      0: 1 vote 1: Multiple votes
el-mode       Int      Eligible voters as a flags 1:Bel. resident 2:Bel.
non-resident  4:Non-Bel. EU nat.
et-id
e-id
e-pr          Bool
head0[]
head1[]
head2[]
head3[]
short-name[] Char[]
long-name[]  Char[]
mandatory    Bool
org-type
separate_TOT
supps        Bool      True if the election has both effective
and replacement candidates
maxcan[]     Int[3]      constraints on number of candidates by
language group
maxsup[]     Int[3]
minsup[]     Int[3]

party
p-id
e-id
s-id          Date
coll-id
party-name
taalgroep[]
num-can       Int      # of candidate detail records with c-
type==0
num-sup       Int      # of candidate detail records with c-
type==1
logo[]
logo-height  Int
logo-width   Int
logo-bytes   Int
vote_top     Char[32]   Encrypted
vote_can     Char[32]   Encrypted
vote_sup     Char[32]   Encrypted
vote_cs      Char[32]   Encrypted

urnedest
urne-id
urne-area
org-type
sys-type
total-cards  Int

```

annul-card	Int	
unused-card	Int	
count-card[]	Int[16]	
elects[]		
out-status	Int	
master-key	Char[16]	
session-key		
adres	Char[30]	
name	Char[30]	
postcode	Char[4]	
tel-nr	Char[20]	
lokal	Char[25]	
data-read	Int	0:Not read 1: Read from Master 2: Read
from Backup		
time-rcv	Time	
disk-type		
lstdest		
lst-id		
lst-area		
org-type		
sys-type		
master-key		
session-key		
out-status		
adres		
name		
postcode		
tel-nr		
lokal		
setup		defines capabilities of station running
the software		
setup-id	Int	
org-type	Char[]	
sys-type	Char[]	"M", "I", "G" or "T"
area		
areaname	Char[]	
originator	Int	
startup[]	Char[3][]	Session, Election and Organisation info
lang-pc	Int	range 0..4 : D, F, G, D/F, F/G
lang-bur[]	Bool[3]	languages used D/F/G
paswdprp	Char[32]	password for logistics activities
paswdtot	Char[32]	password for totalization activities
master-key	Char[]	
session-key	Char[]	
session		
s-id	Date	
upmas		
upses		
print-done	Bool	
prpmade	Int	

prpread	Int	
urnmade	Int	
urnread	Int	
lang	Int	range 0..4 : D, F, G, D/F, F/G
lang2	Int	as lang
pvt-mav	Int	
tel-nr	Char[]	
hands-off	Bool	
nbr_flop	Int	
paswdest		
pasw-id		
pasw-area		
org-type		
master-key		
session-key		
sys-type		
adres		
name		
postcode		
tel-nr		
lokal		
data-read		
out-status		
candidate		
p-id		
e-id		
c-id		
s-id	Date	
coll-id		
c-type	Int	0: effective, 1: replacement
c-name1	Char[]	
c-name2	Char[]	
vote		
language		
var_lang		localization strings
var_name	Char[]	variable name
var_string[]	Char[3][]	localized string
fra_name	Char[]	frame name
len_string		
organisation		
setup-id		
Ingave[]		
heading1[]		
heading2[]		
heading3[]		
org-type		
area[]		
layout		

```

doc-id          Int
page-nbr       Int
sect-nbr       Int
line-nbr       Int
contents       Char[]  Substrings of the form @Fnn indicate fields to be
inserted

selection
c-id           Int
c-type        Int
e-id          Int
lang-pc       Int
p-id
party-name
s-id          Date
verk_name     Char[]

types          template records used to create election records
coll-id
coll-name     Char[3][]  College name by language
colls
e-type        Int          0: 1 vote 1: multiple votes
el-mode       Int          Eligible voters as flags 1:Bel. resident
2:Bel. non-resident 4:Non-Bel. EU nat.
et-id
head0[]
head1[]
head2[]
head3[]
short-name[]  Char[3][]  Short name by language
long-name[]   Char[3][]  Full name by language
mandatory
org-type
separate_TOT
supps
maxcan[]      Int          Constraint on number of candidates by
language group
maxsup[]      Int
minsup[]      Int
used

names
area[]

session-exceptions
setup-id      date
lang         Int
heading3[]
prt-mav      Int

usage
doc-id

```

```

doc-lang
doc-type      Int      1: PV 2: 3: receipt PRP 4: receipt TOT 5: 6: 7:
9: 81: 82 83:
et-combi
et-ids
setup-id      Int

urnechku      List of files on the U-disk requiring a checksum
file
boot-file     Bool     If true: File in root directory
copy-file     Bool     If true: file in \VOTE\FILES\BAT\ if false: file
in \VOTE\FILES\INCL\
src-name      Char[]  filename
dest-name     Char[]  name of checksum file to be placed in
\VOTE\FILES\CHECK\

sysinfo
userName
licenseNo
serialNo
offSet

panache       workfile
id            Int
type         Int
maxpar       Int

verkiezing    workfile
e-id
e-pr         Bool

wf            workfile
w-prg
w-db
w-ldb

wfrow         workfile
nr
txt[]

all_election  buffer for election

setup2        buffer for setup

f2            generic buffer

_file         database metadata tables
_field
_index
_index-field

```

## Appendix 5: Syntax of the B019 file.

The B019 file is encrypted, the unencrypted form of the B019 file is called INFLIS.

# indicate our meta-comments, original comments start with //  
\ are used to split long lines

all P,L and C records are space delimited.

related files:

PRP/CREATLIS.P  
PRP/CRINFLIS.P  
PRP/IMPB019K.P  
PRP/IMPORTPR.P

Paswoord\_check

```
<lstdest.sys-type><lstdest.org-type><lstdest.lst-area><lstdest.lst-id>  
<types.et-id>  
<election.e-id>  
P <party.s-id> <party.e-id> <party.coll-id> <party.p-id>  
<party.party_name> \  
<party.taalgroep[1..3]>  
L <party.s-id> <party.e-id> <party.coll-id> <party.p-id> 0\  
<party.logo_width> <party.logo_height> <party.logo_bytes>  
#for each byte in the logo:  
L <party.s-id> <party.e-id> <party.coll-id> <party.p-id>  
<1..party.logo_bytes> \  
<logobyte>  
C <candidate.s-id> <candidate.e-id> <candidate.coll-id> <candidate.p-id>  
\  
<candidate.c-type> <candidate.c-id> <candidate.c_name1>  
<candidate.c_name2>
```

## Appendix 6: Syntax of the B020 file.

The B020 file is encrypted, the unencrypted form of the B020 file is called INFPAS.

# indicate our meta-comments, original comments start with //  
\ are used to split long lines

all D records are space delimited.

related files:

PRP/CREATPAS.P  
PRP/CRINFPAS.P  
PRP/IMPB020D.P  
PRP/IMPORTPR.P

Paswoord\_check

```
<paswdest.sys-type><paswdest.org-type><paswdest.pasw-
```



```

area<paswdest.pasw-id>
D <urnedest.sys-type> <urnedest.org-type> <urnedest.urne-area>
<urnedest.urne-id> \
  <urnedest.name> <urnedest.adres> <urnedest.postcode> <urnedest.lokal> \
  <urnedest.tel-nr> <urnedest.master-key> <urnedest.session-key>

```

## Appendix 7: Syntax of the B021 file.

The B021 file contains the election-related data for the MAV application.

The B021 file is decompressed and read from the same floppy used to boot the MAV machine.

The A record has one line for each field, identified by a tag.

B,C,D and E records have one line for each record.

# indicate our meta-comments, original comments start with //

\ are used to split long lines

All records are tab-separated.

related files:

PRP/CPURN.P

PRP/CREATURN.P

PRP/CRINFURN.P

TOOLS/BHURNCHK.P

```
// A Verkiezings gegevens : Gebruikt voor configuratie.
```

```
A      1      "<urnename>" #BureauName
```

```
A      2      "<orgname>"
```

```
A      7      <session.tel-nr>
```

```
A      8      <wz-nbr_flop>
```

```
A      9      <session.s-id> #Electiondate
```

```
A     10      <wz-prt-mav> #ticketing
```

```
//
```

```
//ELECTION DATA
```

```
//
```

```
B      <election.et-id>      <election.e-type>      \
```

```
      <election.long-name>  <election.short-name>  \
```

```
#      <election.long-name>  <election.short-name> (if bilingual D/F
or F/G)
```

```
//
```

```
//COLLEGE DATA
```

```
//
```

```
C      <election.et-id>      <election.coll-id>
```

```
<election.coll_name>
```

```
//
```

```
//PARTY DATA
```

```
//
```

```
D      <election.et-id>      <election.coll-id>      \
```

```
      <party.p-id>           <party.party_name>      \
```

```
      <party.logo_width>    <party.logo_height>    \
```

```
      <languagegroup>
```

```
//
//-----
//CANDIDATE DATA
//
E      <election.et-id>          <election.coll-id>      \
      <party.p-id>              <candidate.c-type>      <candidate.c-id> \
      <candidate.c_name1>      <candidate.c_name2>
```

### Appendix 8: Syntax of the B001 file.

The B001 contain the election results for each URN machine, or are the result of merging several individual B001 files. Only the B001 files produced by the URN application contain B records.

Each line of the B001 file is individually encrypted, the unencrypted form of the B001 file is called ELECT.LST.

The A record has one line for each field, identified by a tag.  
B,D and E records have one line for each record.

# indicate our meta-comments, original comments start with //  
\ are used to split long lines

related files:  
URN/URNRECO.CPP  
GEN/GENDATA.CPP  
TOT/CREATTOT.P  
TOT/TOTURNE.P  
TOT/CRTOTINF.P

```
A      0      <cards> <count[1]> ... <count[16]>
A      1      <urnename>
# optional: B records as in B021
D      <election.et-id>          <election.coll-id>          <party.p-
id>    \
      <party.vote_top>          <party.vote_can>          \
      <party.vote_sup>          <party.vote_cs>          \
E      <election.et-id>          <election.coll-id>          <party.p-
id>    \
      <candidate.c-type>        <candidate.c-id>          <vote_pers>
```

### Appendix 9: Syntax of the B011 file.

The B011 file contains the election results for a single kanton.  
It is computed from either individual B001 files produced by the URN application, or intermediate aggregate B001 files.

The A record has one line for each field, identified by a tag.  
B,C,D,E,F and G records have one line for each record.

# indicate our meta-comments, original comments start with //

\ are used to split long lines

related files:

TOT/EXPZET.P

TOT/RD\_RESUL.P

```
//-----  
// A : CONFIGURATION DATA  
//-----  
A      1      <setup.orginator>  
A      2  
A      3  
A      4  
A      5  
A      6  
A      7  
A      8  
A     10  
A     11      <setup.areaname>  
A     12      <session.lang2>  
A     13      <session.s-id>  
//-----  
// B : ELECTION DATA  
//-----  
B      <election.et-id>      <e-type>      \  
      <election.long-name> <election.short-name> \  
#      <election.long-name> <election.short-name> (if bilingual D/F  
or F/G)  
//-----  
// C : COLLEGE DATA  
//-----  
C      <election.et-id>      <election.coll-id>  
<election.coll_name>  
//-----  
// D : PARTY DATA  
//-----  
D      <election.et-id>      <election.coll-id>      \  
      <party.p-id>      <party.party_name>  
//-----  
// E : CANDIDATE DATA  
//-----  
E      <election.et-id>      <election.coll-id>      \  
      <party.p-id>      <candidate.c-type>      <candidate.c-id>  
\  
      <candidate.c_name1>      <candidate.c_name2>  
//-----  
// F : PARTY RESULTS  
//-----  
F      <election.et-id>      <election.coll-id>      <party.p-  
id>      \  
      <vote_top>      <vote_can>      \  
      <vote_sup>      <vote_cs>
```

```
//-----  
// G : CANDIDATE RESULTS  
//-----  
G      <election.et-id>      <election.coll-id>      \  
      <party.p-id>          <candidate.c-type>      \  
      <candidate.c-id>      <vote_pers>
```